

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20692	authenticat\$4 with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 12:19
L2	31377	two\$way with communicat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 12:19
L3	82509	(trust\$4 secur\$4) with communicat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 12:20
L4	36859	((full adj duplex) two\$way) with communicat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 12:20
L5	156294	communication with link\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 12:19
L6	11548	access\$4 with authenticat\$4 with user	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 12:19
L7	29164	application with server with client	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 12:19
L8	72	(L1 and L2 and L3 and L4 and L5 and L6 and L7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 12:19
L9	2748	trusted with communicat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 12:20
L10	31377	two\$way with communicat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 12:22
L11	106	(1 and 2 and 5 and 6 and 7 and 10)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 12:23

EAST Search History

L12	19	(1 and 2 and 5 and 6 and 7 and 9 and 10)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:48
L13	0	(1 and 2 and 5 and 6 and 7 and 9 and 10) and trusted with two\$way with communicat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:38
L14	10	authentikat\$4 near3 system and trusted with two\$way with communicat\$4 and server with authentikat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:54
L15	1	authentikat\$4 near3 system and trusted with two\$way with communicat\$4 and server with authentikat\$4 and (id identification) with (agent engine)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:43
L16	10	(1 and 2 and 5 and 6 and 7 and 9 and 10) and engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:48
L17	7	(1 and 2 and 5 and 6 and 7 and 9 and 10) and engine with (communicat\$4 access\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:48
L18	1	authentikat\$4 near3 user and trusted with two\$way with communicat\$4 and server with authentikat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:55
L19	10	authentikat\$4 and (secur44 trusted) with two\$way with communicat\$4 and server with authentikat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:55
L20	10	authentikat\$4 and (secur44 trusted) with two\$way with communicat\$4 and server with authentikat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:56
L21	78	authentikat\$4 and (secur\$4 trusted) with two\$way with communicat\$4 and server with authentikat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:56
L22	48	authentikat\$4 with (user and system) and (secur\$4 trusted) with two\$way with communicat\$4 and server with authentikat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:56

EAST Search History

L23	11	authenticat\$4 with (user and system) and (secur\$4 trusted) with two\$way with communicat\$4 and server with authenticat\$4 and (communicat\$4 access\$4) with engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 13:59
L24	11	authenticat\$4 with (user and system) and (secur\$4 trusted) with two\$way with (link\$4 communicat\$4) and server with authenticat\$4 and (communicat\$4 access\$4) with engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 14:02
L25	44	authenticat\$4 with (user and system and server) and (secur\$4 trusted) with two\$way with (link\$4 communicat\$4) and (communicat\$4 access\$4) with (module engine manag\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 14:03
L26	33	25 not 24	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 14:03
L27	32	26 not 20	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:10
L28	15	26 not 20 and identifier and secur\$4 and link\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:11
L29	17	26 not 20 and identifier and secur\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:13
L30	12	26 not 20 and identifier and secur\$4 and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:15
L31	10	26 not 20 and identifier and secur\$4 and firewall and engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:13
L32	11	26 not 20 and identifier and secur\$4 and firewall and (receiv\$4 retriev\$4 obtain\$4) near5 identifier	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:16
L33	11	26 not 20 and identifier and secur\$4 and firewall and (receiv\$4 retriev\$4 obtain\$4) near5 identifier and interfac\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:16

EAST Search History

L34	10	26 not 20 and identifier and secur\$4 and firewall and (receiv\$4 retriev\$4 obtain\$4) near5 identifier and interfac\$4 near3 user	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:16
L36	1	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:51
L37	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 and link\$4 with access\$4 with list with application with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:52
L38	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 and link\$4 with access\$4 with list with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:52

EAST Search History

L39	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 and link\$4 with access\$4 with list\$4 with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:52
L40	1	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 and access\$4 with list\$4 with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:53
L41	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 and (access\$4 with list\$4 with server) same (link\$4 path line)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:53

EAST Search History

L42	1	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 and (access\$4 with list\$4 with server) and (link\$4 path line)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:53
L43	1	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 and (access\$4 with list\$4 with server) and (link\$4 path line) and link\$4 with list\$4 with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:56
L44	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 and (access\$4 with list\$4 with server) and (link\$4 path line) and link\$4 with list\$4 with server with identifier	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:56

EAST Search History

L45	1	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 and (access\$4 with list\$4 with server) and (link\$4 path line) and link\$4 with list\$4 with server and (client user customer) near3 (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:57
L46	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 and (access\$4 with list\$4 with server) and (link\$4 path line) and link\$4 with list\$4 with server and (client) near3 (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:57
L47	1	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$4 with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4) and (authenticat\$4 and identif\$4 with (engine routine algorithm)) and establish\$4 with communication and two\$way with communication and plurality with server and server with list\$4 and (choos\$4 chosen select\$4) with server same (list\$4 directory) and requir\$4 with authenticat\$4 and (access\$4 with list\$4 with server) and (link\$4 path line) and link\$4 with list\$4 with server and (user) near3 (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/24 15:57